

Polys P-4a 1200W TraceWeld



1	3
2	3
3	4
4	4
4.1	Polys P-4a 1200W TraceWeld SOLO	4
4.2	SP-4a 1200W TraceWeld PROFI (40-90)	4
4.3	SP-4a 1200W TraceWeld PROFI (63-110)	4
4.4	SP-4a 1200W TraceWeld PROFI (63-125)	4
5	5
5.1	5
5.2	5
5.3	5
5.4	5
5.5	5
5.6	5
6	6
6.1	6
6.2	6
6.3	6
6.4	7
7	7
8	8
9	8

1

DYTRON –

2


TraceWeld

110

Polys P-4a 1200W



TraceWeld –



180-280°
(1).

(2).

Ø16).

TIMER (5).

(3)

(4)

5

5.1



DIN.

16-125 Polys P-4a 1200W TraceWeld

(6-) 6

5.2



-4 -1.



5.3



-4 -1.

5.4



5.5



-4 -1.

5.6

40



6



6.1



- 1
- 2
- 3
- 4
- 5

6.2

6.3

	16	20	25	32	40	50	63	75	90	110	125
	5	5	7	8	12	12	24	30	40	50	60
	4	4	4	6	6	6	8	8	8	10	10
	6	6	10	10	20	20	30	30	40	50	60
	2	2	2	4	4	4	6	6	6	8	8

3 (PPRC).

8

DYTRON.

9

