





Thule Rapid System Kit 1696

> Instructions


MITSUBISHI Mirage, 5-dr Hatchback, 12-
MITSUBISHI Space Star, 5-dr Hatchback, 12-



ISO 11154-E



191 x1



192 x1

364 x1

365 x1




1168 x2



1169 x2





x1



x1

1



	X (scale)	X (mm)	X (inch)
MITSUBISHI Mirage , 5-dr Hatchback, 12-	40	1051	41 ³ / ₈
MITSUBISHI Space Star , 5-dr Hatchback, 12-	40	1051	41 ³ / ₈




	Y (scale)	Y (mm)	Y (inch)
MITSUBISHI Mirage , 5-dr Hatchback, 12-	32,5	976	38 ³ / ₈
MITSUBISHI Space Star , 5-dr Hatchback, 12-	32,5	976	38 ³ / ₈

2

MITSUBISHI Mirage, 5-dr Hatchback, 12-
MITSUBISHI Space Star, 5-dr Hatchback, 12-



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
MITSUBISHI Mirage , 5-dr Hatchback, 12-	195	720	7 ⁵ / ₈	28 ³ / ₈
MITSUBISHI Space Star , 5-dr Hatchback, 12-	195	720	7 ⁵ / ₈	28 ³ / ₈

